

LUXURY VINYL

HIGHLANDS II
fiberglass sheet



771 Landscape

shawbuilderflooring.com



BUILDER + MULTIFAMILY


	US Units	Metric Units
Style Number	VG076	
Construction	Residential Resilient - Sheet	
Profile	Direct Glue	
Overall Thickness	0.055"	1.399 mm
Wear Layer Thickness	10 mil (0.01")	0.3 mm
Finish	Opticlean Urethane	
Installation	Glue	
Installation Grade	All Levels of the Home	
Environmental	FloorScore® Certified Ortho-Phthalates Free	
Residential Warranty	10 Years DuraTru Residential Limited Warranty	
Smoke Density (ASTM E662, Flaming Mode)	Passes, <450	
Radiant Panel (ASTM E648)	Passes, Class I	

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

Features

Exceptionally durable and easy to clean, resilient vinyl flooring is a great choice for high-traffic areas. And with wood, tile and stone looks, it's as stylish as it is strong. But this is no ordinary vinyl flooring—it comes with Armourbead™, a wear layer that offers astounding performance. It's just one of the many advantages that come with a Shaw floor.

Colors



Suggested Adhesive

Style Name	Style Number
SHAW 350 PS ADHESIVE 1 GAL	053VS
153VS	VS024
024VS	SHAW SV-1200 1 GAL
VS186	100BA
SHAW SV-1200 4 GAL	101SA