
LUXURY VINYL

Limitless 8

vinyl plank



shawbuilderflooring.com



BUILDER + MULTIFAMILY

	US Units	Metric Units	
Style Number	333MF		
Construction	Residential Resilient LVT-Drybac<=2Mm		
Profile	Direct Glue		
Size	7" x 48"	17.78 cm x 121.92 cm	
Overall Thickness	0.079"	2 mm	
Wear Layer Thickness	8 mil (0.008")	0.2 mm	
Finish	ArmourBead®		
Edge Description	Square		
Area per Carton	34.98 sq ft	3.25 sq m	
Area per Pallet	3498 sq ft	324.97 sq m	
Installation	Glue		
Installation Grade	All Levels of the Home		
Environmental	FloorScore® Certified		
	Ortho-Phthalates Free		
Residential Warranty	Residential Resilient Limited Warranty - Defects		
	15 Years		
	Residential Resilient LVP/LVT Products Limited Warranty		
Commercial Warranty	5 Year Light Commercial		
Smoke Density (ASTM E662, Flaming	Passes, <450		
Mode)			
Radiant Panel (ASTM E648)	Passes, Class I		
Test	Reports may be included or listed by the manu	facturing/inventory style number as opposed to	

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

Features

Modern, clean visuals, trend-forward and eclectic.

Colors

520 Shadow	825 Raw Sienna	2027 Grand Canyon	2028 Salt River	2029 Pampas
FIOD Drift	7099 Boberne Brown	700 Pouto 65	TIQ2 Victo	TIQ4 Barloy Eigld
5100 Drift	7099 Boheme Brown	7100 Route 66	7192 Vista	7194 Barley Field
shawbuilderflooring.com				· · · · · · · · · · · · · · · · · · ·



BUILDER + MULTIFAMILY

Limitless 8



The list of colors below complements the entire range of colors available for the current product. 1169 Sand Dune 6040 Honeycomb

Style Number
152VS
173VS
174VS
154VS
126VS

Coordinating Trim



Omni Trim* OMNMB | 94"

Quarter Round OQRMB | 94"

Overlap Stairnose*

OOLMB | 94"

*Packaged with molding track

Coordinating Metal Trim

Finish	Reducer	T-Mold	Stair Cap
Satin Silver	212MB	215MB	209MB
Satin Nickel	213MB	216MB	210MB
Dark Bronze	214MB	217MB	211MB

Installation Range

Profile Size	Installation Range
3.5mm	1.5mm to 3.5mm heights
5.5mm	3.6mm to 5.5mm heights
8mm	6mm to 8mm heights



